




THE TILE BOUTIQUE

Exclusive Designer Tiles Collection




# CASCADE

SQUARES x FRAGMENTS



100mm x 100mm MATT

version 2.0




The world of Ceramic Fashion Studio functions with a spearhead agenda of serving nothing but the best to our ever growing clientele. The entire collection consists of harmonious, iridescent and vibrant colors among many others matched with bewitching décor options to graciously enhance your space and give it the fresh, radiant outcome it deserves. This series is splendidly crafted having colors and artistic layout at its forefront that are in alignment with the fads and trends of today and future.












CCQ 1010013 ICED CUCUMBER




CCQ 1010014 PARADISE BAY




CCQ 1010015 STORMY SEA




CCQ 1010016 GREEN TROPICS




CCQ 1010017 ASH MAUVE




CCQ 1010018 MACAROON PINK




CCQ 1010019 PLUM PUDDING




CCQ 1010020 DEEP ROSEWOOD




CCQ 1010021 COPPER LEAF



CCQ 1010022 DEEP OLIVE





CCQ 1010023 PINYON PINE



CCQ 1010024 MIDNIGHT BLUE













- CCF 1010001 CRISS PASTEL
- CCQ 1010011 SILVER SMOKE
- CCQ 1010012 PALM PEACH



- CCF 1010002 STILE VERDE
- CCQ 1010005 OCEAN MIST
- CCQ 1010006 DUSTY SKY




- CCF 1010007 ETNICA GIALLO
- CCQ 1010028 GRASSLAND GREEN
- CCQ 1010025 LILY GOLD



- CCF 1010008 ETNICA AZZURO
- CCQ 1010031 AJARAKH TEAL
- CCQ 1010029 COOL GREEN



- CCF 1010003 MOTIVI PASTEL
- CCQ 1010010 WINTER FROST
- CCQ 1010008 ROSETTE




- CCF 1010004 MOTIVI SOMBRE
- CCQ 1010023 PINYON PINE
- CCQ 1010024 MIDNIGHT BLUE



- CCF 1010009 ABITARE PASTEL
- CCQ 1010012 PALM PEACH
- CCQ 1010002 IVORY COAST




- CCF 1010010 ABITARE SOMBRE
- CCQ 1010015 STORMY SEA
- CCQ 1010021 COPPER LEAF




- CCF 1010005 ESTETICA BOLD
- CCQ 1010016 GREEN TROPICS
- CCQ 1010020 DEEP ROSEWOOD



- CCF 1010006 GEOMETRICA BOLD
- CCQ 1010035 DARK CHERRY
- CCQ 1010026 ORANGE TANGO



- CCF 1010011 CABANE BLU
- CCQ 1010024 MIDNIGHT BLUE
- CCQ 1010020 DEEP ROSEWOOD



- CCF 1010012 CABANE NERO
- CCQ 1010036 MINERAL ORE
- CCQ 1010035 DARK CHERRY





CCQ 1010012 PALM PEACH  
CCF 1010001 CRISS PASTEL



CCQ 1010001 SHEER ICE  
CCQ 1010011 SILVER SMOKE



CCQ 1010031 AJARAKH TEAL  
CCF 1010002 STILE VERDE



CCQ 1010008 ROSETTE



CCQ 1010007 SPARKLING AGUA  
CCQ 1010012 PALM PEACH  
CCF 1010009 ABITARE PASTEL



CCQ 1010008 ROSETTE  
CCQ 1010010 WINTER FROST  
CCF 1010003 MOTIVI PASTEL





CCF 1010004 MOTIVI SOMBRE



CCQ 1010023 PINYON PINE



CCQ 1010002 IVORY COAST  
CCQ 1010016 GREEN TROPICS  
CCQ 1010020 DEEP ROSEWOOD



CCQ 1010010 WINTER FROST  
CCQ 1010017 ASH MAUVE



CCQ 1010024 MIDNIGHT BLUE  
CCF 1010011 CABANE BLU



CCQ 1010001 SHEER ICE  
CCQ 1010019 PLUM PUDDING  
CFD 3030045





CCQ 1010025 LILY GOLD  
CCQ 1010028 GRASSLAND GREEN  
CCF 1010007 ETNICA GIALLO



CCQ 1010035 DARK CHERRY  
CCF 1010012 CABANE NERO



CCQ 1010026 ORANGE TANGO  
CCF 1010006 GEOMETRICA BOLD



CCQ 1010002 IVORY COAST  
CCQ 1010032 EMERALD ACCENT



CCQ 1010003 MOUNTAIN MIST  
CCQ 1010035 DARK CHERRY



CCQ 1010028 GRASSLAND GREEN  
CFM 2020006 STENCIL BLACK






CCQ 1010031 AJARAKH TEAL  
CCF 1010008 ETNICA AZZURO



CCQ 1010007 SPARKLING AGUA  
CCQ 1010036 MINERAL ORE



CCQ 1010001 SHEER ICE  
CCQ 1010024 MIDNIGHT BLUE



CCQ 1010005 OCEAN MIST



CCF 1010005 ESTETICA BOLD




CCQ 1010035 DARK CHERRY





CCQ 1010022 DEEP OLIVE  
CFD 3030074



CCQ 1010027 RUSTY COTTO



CCQ 1010012 PALM PEACH  
CFD 3030062



CCQ 1010001 SHEER ICE  
CCQ 1010014 PARADISE BAY  
CCQ 1010015 STORMY SEA




CCQ 1010025 LILY GOLD




CCQ 1010034 JAPANESE LILAC




# LAYOUT OPTIONS




GRID




CHECKERBOARD




BRICKWORK HORIZONTAL



BRICKWORK VERTICAL



DIAMOND



STRIPES

## INSTALLATION SUGGESTIONS

- CFS recommends 2mm space for flawless aesthetics.
- We suggest to use good quality epoxy grout.
- We suggest to follow laying information provided with the packaging.

| CHARACTERISTIC                                                                                                             |  |                                                                          |                       |
|----------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------|-----------------------|
| DIMENSION & SURFACE QUALITY                                                                                                |  | International Specifications<br>ISO 13006/EN 176 Group & IS 15622 : 2006 | METHOD OF TESTING     |
|  Deviation In Length                    |  | ±0.6%                                                                    | ±0.1%                 |
|  Deviation In Thickness                 |  | ±5%                                                                      | ±2%                   |
|  Straightness Of Sides                  |  | ±0.5%                                                                    | ±0.1%                 |
|  Rectangularity                         |  | ±0.6%                                                                    | ±0.2%                 |
|  Surface Flatness                       |  | ±0.5%                                                                    | ±0.2%                 |
|  Glossiness                             |  | -                                                                        | Min. 90% Reflection   |
| PHYSICAL & THERMAL PROPERTIES                                                                                              |  |                                                                          |                       |
|  Water Absorption                       |  | <0.5%                                                                    | <0.05%                |
|  Mohs Hardness*                         |  | >6                                                                       | 6                     |
|  Flexural Strength                      |  | 35 N/mm <sup>2</sup>                                                     | >46 N/mm <sup>2</sup> |
|  Abrasion Resistance**                  |  | <175 mm <sup>3</sup>                                                     | <144 mm <sup>3</sup>  |
|  Skid Resistance (Friction Coefficient) |  | >0.4                                                                     | >0.4                  |
|  Breaking Strength                      |  | 1113 N                                                                   | 2800 N                |
|  Density (g/cc)                         |  | >2.0                                                                     | >2.4                  |
|  Frost Resistance                       |  | Frost Proof                                                              | Frost Proof           |
|  Thermal Shock Resistance               |  | No Damage                                                                | No Damage             |
|  Thermal Expansion                     |  | <9 x 10 <sup>-6</sup>                                                    | <6 x 10 <sup>-6</sup> |
|  Moisture Expansion                   |  | Nil                                                                      | Nil                   |
| CHEMICAL PROPERTIES                                                                                                        |  |                                                                          |                       |
|  Chemical Resistance                  |  | No Damage                                                                | No Damage             |
|  Colour Resistance                    |  | No Damage                                                                | No Damage             |
|  Stain Resistance                     |  | Resistant                                                                | Resistant             |

| PACKING DETAILS |                   |           |            |                   |                 |              |            |                |
|-----------------|-------------------|-----------|------------|-------------------|-----------------|--------------|------------|----------------|
|                 | *Dimensions in MM | Thickness | Pieces/Box | Area Coverage/Box | KG/Box          | Boxes/Pallet | SQM/Pallet | KGs/Pallet*    |
| Mini Box        | 100x100           | 8.5 mm    | 9          | 0.09 sq.mtr       | 1.7 Kg (Appx.)  | –            | –          | –              |
| Master Box      | 100x100           | 8.5 mm    | 90         | 0.90 sq.mtr       | 17.5 Kg (Appx.) | 70           | 63         | 1225 Kg(Appx.) |

\*Gross Weight

**Note:** It is strongly recommended to use spacers. Leave min 2MM gap between adjacent tiles to allow possible expansion as well as to enhance aesthetics of laying.  
\*Size mentioned above is NOMINAL size, ACTUAL size will be 98x98mm.







**THE TILE BOUTIQUE**

Exclusive Designer Tiles Collection

 **+91 98419 22201**  
**+91 99405 63528**

## **Address**

### **Head Office**

No.7, Montieth Lane, Ponmari Towers, Opp Street to  
Ambassador Pallava Hotel. Egmore, Chennai 600008

### **Branch Office**

No 137(95), Anna Salai (Mount Road), First Floor,  
Meena Tejasvi Building, Next to LIC Building, Chennai 600002